

ECODESIGN INFORMATION

According to Regulation EU No 327/2011 of the European Commission, implementing Directive 2009/125/CE of European Parliament
Apply to fans

SODECA, S.L.U.

www.sodeca.com

ERP: Performance at the best efficiency point (BEP)

| | |
|-----|----------------------|
| MC | Measurement category |
| EC | Efficiency category |
| VSD | Variable Speed Drive |
| SR | Specific ratio |

| | |
|---------------------|----------------------------------|
| [m ³ /h] | Flow rate |
| [Pa] | Static pressure / Total pressure |
| [RPM] | Speed |

| | |
|--------|------------------|
| ηe [%] | Efficiency |
| N | Efficiency grade |
| [kW] | Input power |

| Model | MC | EC | VSD | SR | ηe[%] | N | [kW] | [m ³ /h] | [Pa] | [RPM] |
|-------------------------------|----|---------|--------------------|------|-------|------|-------|---------------------|------|-------|
| CJTH/PLUS-40-2/4T-1.5-F-400 | A | Statisk | VFD ikke nødvendig | 1.00 | 36.4 | 41.9 | 1.330 | 5180 | 338 | 2903 |
| CJTH/PLUS-40-6T-0.75-F-400 | A | Statisk | VFD ikke nødvendig | 1.00 | 25.4 | 38.3 | 0.090 | 2422 | 35 | 992 |
| CJTH/PLUS-40-6/12T-0.75-F-400 | A | Statisk | VFD ikke nødvendig | 1.00 | 25.4 | 38.3 | 0.090 | 2422 | 35 | 992 |
| CJTH/PLUS-45-2/4T-2-F-400 | A | Statisk | VFD ikke nødvendig | 1.00 | 38.0 | 43.1 | 1.590 | 6802 | 321 | 2948 |
| CJTH/PLUS-56-4T-1-F-400 IE3 | A | Statisk | VFD ikke nødvendig | 1.00 | 38.9 | 45.8 | 0.802 | 7959 | 141 | 1433 |
| CJTH/PLUS-56-4T-1.5-F-400 IE3 | B | Total | VFD ikke nødvendig | 1.00 | 49.6 | 55.4 | 1.217 | 11615 | 187 | 1439 |
| CJTH/PLUS-63-4T-1-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 52.0 | 58.8 | 0.832 | 9291 | 167 | 1430 |
| CJTH/PLUS-63-4T-1.5-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 49.5 | 55.4 | 1.156 | 10625 | 194 | 1442 |
| CJTH/PLUS-63-4/8T-1.5-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 47.9 | 53.7 | 1.190 | 10625 | 194 | 1447 |
| CJTH/PLUS-63-4T-2-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 43.5 | 48.7 | 1.510 | 12026 | 196 | 1448 |
| CJTH/PLUS-63-4/8T-2-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 42.3 | 47.4 | 1.550 | 12026 | 196 | 1449 |
| CJTH/PLUS-63-4T-3-F-400 IE3 | B | Total | VFD ikke nødvendig | 1.00 | 63.7 | 67.7 | 2.373 | 20298 | 268 | 1467 |
| CJTH/PLUS-63-4/8T-3-F-400 | B | Total | VFD ikke nødvendig | 1.00 | 61.9 | 65.8 | 2.450 | 20324 | 269 | 1439 |
| CJTH/PLUS-63-4T-4-F-400 IE3 | B | Total | VFD ikke nødvendig | 1.00 | 64.2 | 67.6 | 2.935 | 24239 | 280 | 1460 |
| CJTH/PLUS-63-4/8T-4-F-400 | B | Total | VFD ikke nødvendig | 1.00 | 62.6 | 65.9 | 3.020 | 24239 | 281 | 1440 |
| CJTH/PLUS-63-6T-0.75-F-400 | B | Total | VFD ikke nødvendig | 1.00 | 57.7 | 65.4 | 0.610 | 12174 | 104 | 949 |
| CJTH/PLUS-63-6/12T-0.75-F-400 | B | Total | VFD ikke nødvendig | 1.00 | 57.7 | 65.4 | 0.610 | 12174 | 104 | 949 |
| CJTH/PLUS-63-6T-1-F-400 IE3 | B | Total | VFD ikke nødvendig | 1.00 | 57.6 | 64.2 | 0.920 | 15881 | 120 | 951 |
| CJTH/PLUS-63-6/12T-1-F-400 | B | Total | VFD ikke nødvendig | 1.00 | 57.1 | 63.7 | 0.930 | 15880 | 121 | 942 |
| CJTH/PLUS-71-4T-1.5-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 49.4 | 55.0 | 1.305 | 12330 | 188 | 1434 |
| CJTH/PLUS-71-4/8T-1.5-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 47.9 | 53.4 | 1.350 | 12330 | 188 | 1440 |
| CJTH/PLUS-71-4T-2-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 49.7 | 55.0 | 1.456 | 13405 | 194 | 1450 |
| CJTH/PLUS-71-4/8T-2-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 48.4 | 53.6 | 1.500 | 13405 | 194 | 1450 |
| CJTH/PLUS-71-4T-3-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 44.2 | 48.2 | 2.297 | 17056 | 214 | 1468 |
| CJTH/PLUS-71-4/8T-3-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 42.8 | 46.8 | 2.370 | 17056 | 214 | 1441 |
| CJTH/PLUS-71-4T-4-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 41.9 | 45.3 | 2.893 | 19369 | 225 | 1461 |
| CJTH/PLUS-71-4/8T-4-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 40.7 | 44.0 | 2.980 | 19369 | 225 | 1441 |
| CJTH/PLUS-71-6T-0.75-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 40.3 | 47.7 | 0.680 | 10743 | 92 | 944 |
| CJTH/PLUS-71-6/12T-0.75-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 40.3 | 47.7 | 0.680 | 10743 | 92 | 944 |
| CJTH/PLUS-71-6T-1-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 38.9 | 45.7 | 0.833 | 12404 | 94 | 955 |
| CJTH/PLUS-71-6/12T-1-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 38.4 | 45.2 | 0.840 | 12404 | 94 | 947 |
| CJTH/PLUS-71-6T-1.5-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 33.9 | 40.0 | 1.107 | 14226 | 95 | 958 |
| CJTH/PLUS-71-6/12T-1.5-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 33.4 | 39.4 | 1.120 | 14226 | 95 | 955 |
| CJTH/PLUS-80-4T-3-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 48.6 | 52.6 | 2.344 | 16923 | 242 | 1468 |
| CJTH/PLUS-80-4/8T-3-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 47.0 | 51.0 | 2.420 | 16923 | 242 | 1440 |
| CJTH/PLUS-80-4T-4-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 45.8 | 48.8 | 3.309 | 20444 | 267 | 1455 |
| CJTH/PLUS-80-4/8T-4-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 44.5 | 47.4 | 3.400 | 20444 | 267 | 1432 |
| CJTH/PLUS-80-4T-5.5-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 44.8 | 47.4 | 3.902 | 22304 | 282 | 1456 |
| CJTH/PLUS-80-4/8T-5.5-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 43.6 | 46.1 | 4.010 | 22304 | 282 | 1457 |
| CJTH/PLUS-80-6T-1.5-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 40.8 | 46.6 | 1.206 | 14613 | 121 | 955 |
| CJTH/PLUS-80-6/12T-1.5-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 40.2 | 45.9 | 1.220 | 14613 | 121 | 951 |
| CJTH/PLUS-80-6T-2-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 39.8 | 44.7 | 1.738 | 17576 | 142 | 956 |
| CJTH/PLUS-80-6/12T-2-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 39.2 | 44.0 | 1.760 | 17576 | 142 | 962 |
| CJTH/PLUS-80-6T-3-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 37.4 | 41.5 | 2.298 | 20444 | 151 | 965 |
| CJTH/PLUS-80-6/12T-3-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 37.1 | 41.1 | 2.320 | 20444 | 151 | 956 |
| CJTH/PLUS-80-8T-0.75-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 31.9 | 38.9 | 0.770 | 11842 | 75 | 705 |
| CJTH/PLUS-80-8T-1-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 34.3 | 40.8 | 0.940 | 13863 | 84 | 713 |
| CJTH/PLUS-90-4T-4-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 53.4 | 56.8 | 2.944 | 19656 | 288 | 1460 |
| CJTH/PLUS-90-4/8T-4-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 51.9 | 55.2 | 3.030 | 19656 | 288 | 1440 |
| CJTH/PLUS-90-4T-5.5-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 51.9 | 54.5 | 3.939 | 25081 | 294 | 1455 |
| CJTH/PLUS-90-4/8T-5.5-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 50.5 | 53.0 | 4.050 | 25081 | 294 | 1456 |
| CJTH/PLUS-90-4T-7.5-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 49.0 | 50.4 | 6.089 | 31521 | 340 | 1465 |
| CJTH/PLUS-90-4/8T-7.5-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 47.7 | 49.0 | 6.250 | 31521 | 340 | 1465 |
| CJTH/PLUS-90-4T-10-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.01 | 45.9 | 46.6 | 7.761 | 35009 | 366 | 1477 |
| CJTH/PLUS-90-4/8T-10-F-400 | C | Statisk | VFD ikke nødvendig | 1.01 | 45.2 | 45.9 | 7.880 | 35009 | 366 | 1467 |
| CJTH/PLUS-90-6T-2-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 46.5 | 51.5 | 1.602 | 19416 | 138 | 959 |
| CJTH/PLUS-90-6/12T-2-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 45.8 | 50.8 | 1.630 | 19416 | 138 | 965 |
| CJTH/PLUS-90-6T-3-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 41.5 | 45.3 | 2.593 | 23831 | 163 | 960 |
| CJTH/PLUS-90-6/12T-3-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 41.1 | 44.8 | 2.620 | 23753 | 163 | 950 |

| Model | MC | EC | VSD | SR | ηe[%] | N | [kW] | [m³/h] | [Pa] | [RPM] |
|--------------------------------|----|---------|--------------------|------|-------|------|--------|--------|------|-------|
| CJTH/PLUS-90-6T-4-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 38.4 | 41.3 | 3.459 | 27183 | 176 | 970 |
| CJTH/PLUS-90-6/12T-4-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 37.7 | 40.6 | 3.520 | 27183 | 176 | 970 |
| CJTH/PLUS-90-8T-1-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 40.2 | 46.8 | 0.910 | 15652 | 84 | 714 |
| CJTH/PLUS-90-8T-2-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 35.2 | 40.2 | 1.640 | 20602 | 101 | 715 |
| CJTH/PLUS-90-8T-3-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 34.0 | 38.7 | 1.800 | 21573 | 102 | 712 |
| CJTH/PLUS-100-4T-7.5-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 53.6 | 55.4 | 5.104 | 30466 | 323 | 1471 |
| CJTH/PLUS-100-4/8T-7.5-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 52.1 | 53.9 | 5.240 | 30466 | 323 | 1471 |
| CJTH/PLUS-100-4T-10-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 48.7 | 49.3 | 8.144 | 37591 | 380 | 1476 |
| CJTH/PLUS-100-4/8T-10-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 49.9 | 50.9 | 7.100 | 35267 | 362 | 1471 |
| CJTH/PLUS-100-4T-15-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.01 | 44.6 | 44.5 | 11.891 | 44571 | 428 | 1480 |
| CJTH/PLUS-100-4/8T-15-F-400 | C | Statisk | VFD ikke nødvendig | 1.01 | 43.9 | 43.9 | 12.050 | 44571 | 428 | 1470 |
| CJTH/PLUS-100-4T-20-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.01 | 40.7 | 40.4 | 15.945 | 50259 | 465 | 1485 |
| CJTH/PLUS-100-4/8T-20-F-400 | C | Statisk | VFD ikke nødvendig | 1.01 | 40.0 | 39.8 | 16.190 | 50259 | 465 | 1471 |
| CJTH/PLUS-100-6T-3-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 45.5 | 49.3 | 2.454 | 24629 | 163 | 963 |
| CJTH/PLUS-100-6/12T-3-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 45.0 | 48.9 | 2.470 | 24629 | 163 | 953 |
| CJTH/PLUS-100-6T-4-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 44.7 | 47.9 | 3.080 | 27632 | 179 | 974 |
| CJTH/PLUS-100-6/12T-4-F-400 | C | Statisk | VFD ikke nødvendig | 1.00 | 43.9 | 47.1 | 3.130 | 27632 | 179 | 974 |
| CJTH/PLUS-100-6T-5.5-F-400 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 39.4 | 41.7 | 4.375 | 32567 | 191 | 971 |
| CJTH/PLUS-40-2/4T-1.5-F-300 | A | Statisk | VFD ikke nødvendig | 1.00 | 36.4 | 41.9 | 1.330 | 5180 | 338 | 2903 |
| CJTH/PLUS-40-6T-0.75-F-300 | A | Statisk | VFD ikke nødvendig | 1.00 | 25.4 | 38.3 | 0.090 | 2422 | 35 | 992 |
| CJTH/PLUS-40-6/12T-0.75-F-300 | A | Statisk | VFD ikke nødvendig | 1.00 | 25.4 | 38.3 | 0.090 | 2422 | 35 | 992 |
| CJTH/PLUS-45-2/4T-2-F-300 | A | Statisk | VFD ikke nødvendig | 1.00 | 38.0 | 43.1 | 1.590 | 6802 | 321 | 2948 |
| CJTH/PLUS-56-4T-1-F-300 IE3 | A | Statisk | VFD ikke nødvendig | 1.00 | 38.9 | 45.8 | 0.802 | 7959 | 141 | 1433 |
| CJTH/PLUS-56-4T-1.5-F-300 IE3 | B | Total | VFD ikke nødvendig | 1.00 | 49.6 | 55.4 | 1.217 | 11615 | 187 | 1439 |
| CJTH/PLUS-63-4T-1-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 52.0 | 58.8 | 0.832 | 9291 | 167 | 1430 |
| CJTH/PLUS-63-4T-1.5-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 49.5 | 55.4 | 1.156 | 10625 | 194 | 1442 |
| CJTH/PLUS-63-4/8T-1.5-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 47.9 | 53.7 | 1.190 | 10625 | 194 | 1447 |
| CJTH/PLUS-63-4T-2-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 43.5 | 48.7 | 1.510 | 12026 | 196 | 1448 |
| CJTH/PLUS-63-4/8T-2-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 42.3 | 47.4 | 1.550 | 12026 | 196 | 1449 |
| CJTH/PLUS-63-4T-3-F-300 IE3 | B | Total | VFD ikke nødvendig | 1.00 | 63.7 | 67.7 | 2.373 | 20298 | 268 | 1467 |
| CJTH/PLUS-63-4/8T-3-F-300 | B | Total | VFD ikke nødvendig | 1.00 | 61.9 | 65.8 | 2.450 | 20324 | 269 | 1439 |
| CJTH/PLUS-63-4T-4-F-300 IE3 | B | Total | VFD ikke nødvendig | 1.00 | 64.2 | 67.6 | 2.935 | 24239 | 280 | 1460 |
| CJTH/PLUS-63-4/8T-4-F-300 | B | Total | VFD ikke nødvendig | 1.00 | 62.6 | 65.9 | 3.020 | 24239 | 281 | 1440 |
| CJTH/PLUS-63-6T-0.75-F-300 | B | Total | VFD ikke nødvendig | 1.00 | 57.7 | 65.4 | 0.610 | 12174 | 104 | 949 |
| CJTH/PLUS-63-6/12T-0.75-F-300 | B | Total | VFD ikke nødvendig | 1.00 | 57.7 | 65.4 | 0.610 | 12174 | 104 | 949 |
| CJTH/PLUS-63-6T-1-F-300 IE3 | B | Total | VFD ikke nødvendig | 1.00 | 57.6 | 64.2 | 0.920 | 15881 | 120 | 951 |
| CJTH/PLUS-63-6/12T-1-F-300 | B | Total | VFD ikke nødvendig | 1.00 | 57.1 | 63.7 | 0.930 | 15880 | 121 | 942 |
| CJTH/PLUS-71-4T-1.5-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 49.4 | 55.0 | 1.305 | 12330 | 188 | 1434 |
| CJTH/PLUS-71-4/8T-1.5-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 47.9 | 53.4 | 1.350 | 12330 | 188 | 1440 |
| CJTH/PLUS-71-4T-2-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 49.7 | 55.0 | 1.456 | 13405 | 194 | 1450 |
| CJTH/PLUS-71-4/8T-2-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 48.4 | 53.6 | 1.500 | 13405 | 194 | 1450 |
| CJTH/PLUS-71-4T-3-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 44.2 | 48.2 | 2.297 | 17056 | 214 | 1468 |
| CJTH/PLUS-71-4/8T-3-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 42.8 | 46.8 | 2.370 | 17056 | 214 | 1441 |
| CJTH/PLUS-71-4T-4-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 41.9 | 45.3 | 2.893 | 19369 | 225 | 1461 |
| CJTH/PLUS-71-4/8T-4-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 40.7 | 44.0 | 2.980 | 19369 | 225 | 1441 |
| CJTH/PLUS-71-6T-0.75-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 40.3 | 47.7 | 0.680 | 10743 | 92 | 944 |
| CJTH/PLUS-71-6/12T-0.75-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 40.3 | 47.7 | 0.680 | 10743 | 92 | 944 |
| CJTH/PLUS-71-6T-1-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 38.9 | 45.7 | 0.833 | 12404 | 94 | 955 |
| CJTH/PLUS-71-6/12T-1-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 38.4 | 45.2 | 0.840 | 12404 | 94 | 947 |
| CJTH/PLUS-71-6T-1.5-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 33.9 | 40.0 | 1.107 | 14226 | 95 | 958 |
| CJTH/PLUS-71-6/12T-1.5-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 33.4 | 39.4 | 1.120 | 14226 | 95 | 955 |
| CJTH/PLUS-80-4T-3-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 48.6 | 52.6 | 2.344 | 16923 | 242 | 1468 |
| CJTH/PLUS-80-4/8T-3-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 47.0 | 51.0 | 2.420 | 16923 | 242 | 1440 |
| CJTH/PLUS-80-4T-4-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 45.8 | 48.8 | 3.309 | 20444 | 267 | 1455 |
| CJTH/PLUS-80-4/8T-4-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 44.5 | 47.4 | 3.400 | 20444 | 267 | 1432 |
| CJTH/PLUS-80-4T-5.5-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 44.8 | 47.4 | 3.902 | 22304 | 282 | 1456 |
| CJTH/PLUS-80-4/8T-5.5-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 43.6 | 46.1 | 4.010 | 22304 | 282 | 1457 |
| CJTH/PLUS-80-6T-1.5-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 40.8 | 46.6 | 1.206 | 14613 | 121 | 955 |
| CJTH/PLUS-80-6/12T-1.5-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 40.2 | 45.9 | 1.220 | 14613 | 121 | 951 |
| CJTH/PLUS-80-6T-2-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 39.8 | 44.7 | 1.738 | 17576 | 142 | 956 |
| CJTH/PLUS-80-6/12T-2-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 39.2 | 44.0 | 1.760 | 17576 | 142 | 962 |
| CJTH/PLUS-80-6T-3-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 37.4 | 41.5 | 2.298 | 20444 | 151 | 965 |
| CJTH/PLUS-80-6/12T-3-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 37.1 | 41.1 | 2.320 | 20444 | 151 | 956 |
| CJTH/PLUS-80-8T-0.75-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 31.9 | 38.9 | 0.770 | 11842 | 75 | 705 |
| CJTH/PLUS-80-8T-1-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 34.3 | 40.8 | 0.940 | 13863 | 84 | 713 |
| CJTH/PLUS-90-4T-4-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 53.4 | 56.8 | 2.944 | 19656 | 288 | 1460 |
| CJTH/PLUS-90-4/8T-4-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 51.9 | 55.2 | 3.030 | 19656 | 288 | 1440 |
| CJTH/PLUS-90-4T-5.5-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 51.9 | 54.5 | 3.939 | 25081 | 294 | 1455 |
| CJTH/PLUS-90-4/8T-5.5-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 50.5 | 53.0 | 4.050 | 25081 | 294 | 1456 |
| CJTH/PLUS-90-4T-7.5-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 49.0 | 50.4 | 6.089 | 31521 | 340 | 1465 |
| CJTH/PLUS-90-4/8T-7.5-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 47.7 | 49.0 | 6.250 | 31521 | 340 | 1465 |
| CJTH/PLUS-90-4T-10-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.01 | 45.9 | 46.6 | 7.761 | 35009 | 366 | 1477 |
| CJTH/PLUS-90-4/8T-10-F-300 | C | Statisk | VFD ikke nødvendig | 1.01 | 45.2 | 45.9 | 7.880 | 35009 | 366 | 1467 |
| CJTH/PLUS-90-6T-2-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 46.5 | 51.5 | 1.602 | 19416 | 138 | 959 |

| Model | MC | EC | VSD | SR | ηe[%] | N | [kW] | [m³/h] | [Pa] | [RPM] |
|--------------------------------|----|---------|--------------------|------|-------|------|--------|--------|------|-------|
| CJTH/PLUS-90-6/12T-2-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 45.8 | 50.8 | 1.630 | 19416 | 138 | 965 |
| CJTH/PLUS-90-6T-3-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 41.5 | 45.3 | 2.593 | 23831 | 163 | 960 |
| CJTH/PLUS-90-6/12T-3-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 41.1 | 44.8 | 2.620 | 23753 | 163 | 950 |
| CJTH/PLUS-90-6T-4-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 38.4 | 41.3 | 3.459 | 27183 | 176 | 970 |
| CJTH/PLUS-90-6/12T-4-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 37.7 | 40.6 | 3.520 | 27183 | 176 | 970 |
| CJTH/PLUS-90-8T-1-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 40.2 | 46.8 | 0.910 | 15652 | 84 | 714 |
| CJTH/PLUS-90-8T-2-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 35.2 | 40.2 | 1.640 | 20602 | 101 | 715 |
| CJTH/PLUS-90-8T-3-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 34.0 | 38.7 | 1.800 | 21573 | 102 | 712 |
| CJTH/PLUS-100-4T-7.5-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 53.6 | 55.4 | 5.104 | 30466 | 323 | 1471 |
| CJTH/PLUS-100-4/8T-7.5-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 52.1 | 53.9 | 5.240 | 30466 | 323 | 1471 |
| CJTH/PLUS-100-4T-10-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 48.7 | 49.3 | 8.144 | 37591 | 380 | 1476 |
| CJTH/PLUS-100-4/8T-10-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 49.9 | 50.9 | 7.100 | 35267 | 362 | 1471 |
| CJTH/PLUS-100-4T-15-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.01 | 44.6 | 44.5 | 11.891 | 44571 | 428 | 1480 |
| CJTH/PLUS-100-4/8T-15-F-300 | C | Statisk | VFD ikke nødvendig | 1.01 | 43.9 | 43.9 | 12.050 | 44571 | 428 | 1470 |
| CJTH/PLUS-100-4T-20-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.01 | 40.7 | 40.4 | 15.945 | 50259 | 465 | 1485 |
| CJTH/PLUS-100-4/8T-20-F-300 | C | Statisk | VFD ikke nødvendig | 1.01 | 40.0 | 39.8 | 16.190 | 50259 | 465 | 1471 |
| CJTH/PLUS-100-6T-3-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 45.5 | 49.3 | 2.454 | 24629 | 163 | 963 |
| CJTH/PLUS-100-6/12T-3-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 45.0 | 48.9 | 2.470 | 24629 | 163 | 953 |
| CJTH/PLUS-100-6T-4-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 44.7 | 47.9 | 3.080 | 27632 | 179 | 974 |
| CJTH/PLUS-100-6/12T-4-F-300 | C | Statisk | VFD ikke nødvendig | 1.00 | 43.9 | 47.1 | 3.130 | 27632 | 179 | 974 |
| CJTH/PLUS-100-6T-5.5-F-300 IE3 | C | Statisk | VFD ikke nødvendig | 1.00 | 39.4 | 41.7 | 4.375 | 32567 | 191 | 971 |